

MAYWOOD  STUDIO

# CHRiSTMAS MiXER QUiLT



## Christmas Mixer Quilt

featuring We Whisk You a Merry Christmas  
and Kimberbell® Basics - all from Maywood Studio

44" x 61"

#madewithmaywood  
maywoodstudio.com

KIMBERBELL®  
*jingle & whisk*

# MAYWOOD STUDIO


## KIMBERBELL Jingle & Whisk®




Fabric 1  
MAS9670-UW




Fabric 2  
MAS9672-R



Fabric 3  
MAS9673-JG



Fabric 4  
MAS8216-G




Fabric 5  
MAS8218-Z2



Fabric 6  
MAS8218-R




Fabric 7  
MAS9671-G



Fabric 8  
MAS8244-G



Fabric 9  
MAS9670-J




Fabric 10  
MAS9396-R


Maywood Studio makes every effort to make sure our patterns are accurate.  
Check for updates at [maywoodstudio.com/projects](http://maywoodstudio.com/projects)

## Fabric Requirements

Fabric 1	9670-UW	1/4 yard
Fabric 2	9672-R	1/2 yard
Fabric 3	9673-JG	1/4 yard
Fabric 4	8216-G	3/8 yard
Fabric 5	8218-Z2	1-1/4 yards
Fabric 6	8218-R	1/2 yard
Fabric 7	9671-G	1/4 yard
Fabric 8	8244-G	1/4 yard
Fabric 9	9670-J	1 yard
Fabric 11	9396-R (binding)	1/2 yard
Backing	your choice	3-3/4 yards



Cut once on the diagonal.



Cut twice on the diagonal.

## Cutting

Finished Size 44" x 61"

### Fabric 1

A: (6) 5" squares

### Fabric 2

B: (24) 2-1/2" x 5" rectangles

### Fabric 3

C: (24) 2-1/2" squares

### Fabric 4

D: (12) 3-7/8" squares, cut once on the diagonal.

### Fabric 5

E: (36) 3-7/8" squares cut once on the diagonal

F: (24) 2-1/2" x 4-1/2" rectangles

G: (24) 2-1/2" x 8-1/2" rectangles

### Fabric 6

H: (28) 2-1/2" squares

I: (20) 2-7/8 squares cut once on the diagonal

J: (1) 5-1/4" square cut twice on the diagonal.

### Fabric 7

K: (2) 4-1/2" squares

L: (3) 4-7/8" squares cut once on the diagonal

### Fabric 8 - Inner Border

(5) 1-1/2" x WOF strips

### Fabric 9 - Outer Border

(6) 4-1/2" x WOF strips

### Fabric 10- Binding

(6) 2-1/2" x WOF strips

WOF - Width of Fabric

LOF - Length of Fabric

RST - Right Sides Together

HST - Half Square Triangle

## Christmas Mixer Quilt Instructions

Please read all instructions before you begin. All seam allowance is 1/4" unless otherwise stated. Use a light sizing/starch on the squares before cutting triangles to help control stretching along the bias edges.

1. Sew a B rectangle between two C squares. Press toward the B rectangle. Make 12.



2. Sew an A square between two B rectangles as shown. Press toward the B rectangles. Make 6.



3. Sew Step 1 units to the top and bottom of a Step 2 unit. Press open. Make 6.



4. Sew a D triangle to an E triangle as shown. Press toward the D triangle. Make 24.



5. Sew two E triangles to the Step 4 unit as shown. Press toward the E triangles. Make 24.




6. Sew a Step 5 unit to the side of a Step 3 unit, making sure to center the Step 5 unit. Repeat for all sides. Press open. Make 6.



7. Sew a F rectangle between two H squares. Press toward the H squares. Make 4.



8. Sew a K square between two F rectangles as shown. Press toward the K square. Make 2.



9. Sew Step 7 units to the top and bottom of a Step 8 unit. Press open. Make 2.



10. Sew a G rectangle between two H squares. Press toward the H squares. Make 4.



11. Sew a Step 9 unit between two F rectangles as shown. Press toward the Step 9 unit. Make 2.



12. Sew Step 10 units to the top and bottom of a Step 11 unit. Press open. Make 2.




13. Sew a G rectangle between two I triangles. Press toward the I triangles. Make 4.



14. Sew a F rectangle between two I triangles. Press toward the I triangles. Make 4.



15. Sew a J triangle, a Step 14 unit, and a Step 13 unit together as shown. Press toward the J triangle. Make 4.



16. Sew a F rectangle between an H square and an I triangle. Press as shown. Make 6.




17. Sew a F rectangle to an I triangle . Press toward the I triangle. Make 6.



18. Sew an L triangle to a Step 17 unit. Press toward the L triangle. Make 6.



19. Sew a Step 16 unit to the Step 18 unit as shown. Press toward the Step 16 unit. Make 6.



20. Sew a G rectangle between an H square and an I triangle . Press as shown. Make 6.



21. Sew the Step 6, 12, 15, and 23 units together in rows as shown, matching intersections and pinning as necessary.

22. Measure the length of the quilt. Piece and trim two inner borders to this length. Sew to the sides of the quilt. Press toward the borders. Repeat this procedure for the top and bottom of the quilt.

23. Repeat Step 22 for the outer borders.

24. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure.

25. Quilt as desired.

26. Sew the binding strips together into one continuous strip. Press in half length-wise.

27. Sew the binding to the quilt top with a 3/8" seam allowance, mitering the corners. Trim the excess backing and batting, then turn the binding to the back side of the quilt and stitch down by hand with matching thread..

21. Sew a G rectangle to an I triangle . Press toward the I triangle. Make 6.



22. Sew a Step 21 unit to a Step 19 unit. Press toward the Step 21 unit. Make 6.



23. Sew a Step 20 unit to a Step 22 unit. Press toward the Step 20 unit. Make 6.

