


MAYWOOD  STUDIO

Cottage Flowers



Cottage Flowers Quilt by Susie Hetherington

Featuring the Cottage Flowers fabric collection by Susie Hetherington

54" x 70"

maywoodstudio.com



BY SUSIE HETHERINGTON



Fabric 1
MAS10834-BE




Fabric 2
MAS10835-B



Fabric 3
MAS10832-N




Fabric 4
MAS10837-EB




Fabric 5
MAS10835-P




Fabric 6
MAS10830-NZ



Fabric 7
MAS10832-PR



Fabric 8
MAS10835-G



Fabric 9
MAS10834-NG



Binding
MAS10836-N

MAYWOOD  STUDIO

Fabric Requirements			Cutting
Fabric 1	MAS10834-BE	1/4 yard	Finished Size: 54 x 70
Fabric 2	MAS10835-B	1/4 yard	Fabric 1 Cut (2) 2-½" x WOF strips for SS1
Fabric 3	MAS10832-N	1/8 yard	Fabric 2 Cut (3) 2-½" x WOF strips for SS1 & SS2
Fabric 4	MAS10837-EB	2-1/2 yards	Fabric 3 Cut (1) 2-½" x WOF strip for SS2
Fabric 5	MAS10835-P	1/4 yard	Fabric 4 Cut (28) 2-½" x WOF strips Reserve (2) strips for SS3 Reserve (2) strips for SS5 Reserve (2) strips for SS6 Reserve (2) strips for SS7 Reserve (6) strips for SS9 Subcut (10) strips into (56) 2-½" x 6-½" rectangles for sashing Subcut (4) strips into (64) 2-½" squares for HST units
Fabric 6	MAS10830-NZ	1/3 yard	Cut (5) 3" x WOF strips into: (64) 3" squares for HSTs
Fabric 7	MAS10832-PR	1/3 yard	Fabric 5 Cut (3) 2-½" x WOF strips for SS3 & SS4
Fabric 8	MAS10835-G	3/4 yard	Fabric 6 Cut (5) 2-½" x WOF strips Reserve (1) strip for SS6 Reserve (1) strip for SS8 Cut (3) strips into (48) 2-½" squares for sashing
Fabric 9	MAS10834-NG	1/4 yard	Fabric 7 Cut (4) 2-½" x WOF strips for SS5
Binding	MAS10836-N	1/2 yard	Fabric 8 Cut (3) 2-½" x WOF strips for SS7 & SS8 Cut (5) 3" x WOF strips into (64) 3" squares for HSTs
Backing		4 yards	Fabric 9 Cut (3) 2-½" x WOF strips for SS9
WOF - Width of Fabric LOF - Length of Fabric RST - Right Sides Together HST - Half Square Triangle			Fabric 10 Cut (7) 2-¼" x WOF strips for binding

Maywood Studio makes every effort to make sure our patterns are accurate.
Check for updates at maywoodstudio.com/projects

Cottage Flowers Quilt Instructions

Please read all instructions before you begin. Seam allowance is $1/4"$. Fabric is abbreviated as 'F' - for example, F1 refers to Fabric 1. Strip Sets are abbreviated to SS1 for example, which refers to Strip Set 1. Press in the direction of the arrows.

Nine-Patch Blocks

Made from Strip Sets

SS1:

1. Sew an F1 $2\frac{1}{2}"$ x WOF strip to either side of an F2 $2\frac{1}{2}"$ x WOF strip. Press.




2. Cut (16) $2\frac{1}{2}"$ segments from the strip set.

SS2:

3. Sew an F2 strip to either side of an F3 strip. Press.
4. Cut (8) $2\frac{1}{2}"$ segments from the strip set.


SS1/SS2 nine-patch block:

5. Sew an SS1 segment to the top and bottom of an SS2 segment. Press.
6. Make (8) SS1/SS2 nine-patch blocks, measuring $6\frac{1}{2}"$ square.




SS3:

7. Sew an F4 $2\frac{1}{2}"$ x WOF strip to either side of an F5 $2\frac{1}{2}"$ x WOF strip. Press.
8. Cut (8) $2\frac{1}{2}"$ segments from the strip set.




SS4:

9. Sew an F2 strip to either side of an F6 strip. Press.
10. Cut (4) $2\frac{1}{2}"$ segments from the strip set.



SS3/SS4 nine-patch block:

11. Sew an SS3 segment to the top and bottom of an SS4 segment. Press.
12. Make (4) SS3/SS4 nine-patch blocks, measuring $6\frac{1}{2}"$ square.




SS5:

13. Sew an F7 2-1/2" x WOF strip to either side of an F4 2-1/2" x WOF strip. Press.

14. Repeat to make (2) strip sets.

15. Cut (28) 2-1/2" segments from the strip sets. Reserve (8) segments for the Nine-patch blocks with HSTs.

**SS6:**


16. Sew an F4 strip to either side of an F6 strip. Press.

17. Cut (10) 2-1/2" segments from the strip set.

**SS5/SS6 nine-patch block:**

18. Sew an SS5 segment to the top and bottom of an SS6 segment. Press.

19. Make (10) SS5/SS6 nine-patch blocks, measuring 6-1/2" square.

**SS7:**


20. Sew an F4 2-1/2" x WOF strip to either side of an F8 2-1/2" x WOF strip. Press.

21. Cut (10) 2-1/2" segments from the strip set.

**SS8:**


22. Sew an F8 strip to either side of an F6 strip. Press.

23. Cut (5) 2-1/2" segments from the strip set.

**SS7/SS8 nine-patch block:**


24. Sew an SS7 segment to the top and bottom of an SS8 segment. Press.

25. Make (5) SS7/SS8 nine-patch blocks, measuring 6-1/2" square.



Half Square Triangles (HSTs)

1. Mark a diagonal line on the wrong side of (64) F4-3" squares. Place an F4-3" square, right sides together, over an F8-3" square. Sew $\frac{1}{4}$ " on either side of the marked line. Cut on the marked line. Press and square up to 2-1/2". Make 64 pairs for a total of 128 HSTs.



2. Sew the HSTs to opposite sides of an F4-2-1/2" square, positioning the F4 fabric as illustrated to the right. Press. Make (54) Unit 1 HSTs and (10) Unit 2 HSTs.

HST Unit 1



Unit 1 HSTs: Make 54
6-1/2" x 6-1/2"

HST Unit 2



Unit 2 HSTs: Make 10
6-1/2" x 6-1/2"

Nine Patch Blocks with HSTs


SS9:

1. Sew an F4 2-1/2" x WOF strip to either side of an F9 2-1/2" x WOF strip. Press.
2. Repeat to make (3) strip sets.
3. Cut (36) 2-1/2" segments from the strip sets.



SS5/SS9/Unit 1 HST nine-patch blocks:


4. Sew an SS5 segment to the top of an SS9 segment. Press.
5. Sew a Unit 1 HST segment to the bottom of the step 4 unit, paying attention to the direction of the HSTs. Press.
6. Make (8) SS5/SS9/Unit 1 HST nine-patch blocks, measuring 6-1/2" square.



SS5/SS9 Blocks
Make 8
6-1/2" x 6-1/2"

HST A blocks: Unit 2 HST/SS9/Unit 1 HST nine-patch


7. Sew a Unit 2 HST segment to the top of an SS9 segment, as illustrated to the right. Press.
8. Sew a Unit 1 HST segment to the bottom of the step 7 unit, paying attention to the direction of the HSTs. Press.
9. Make (10) Unit 2 HST/SS9/Unit 1 HST nine-patch blocks, measuring 6-1/2" square.



HST A Blocks
Make 10
6-1/2" x 6-1/2"

HST B blocks: Unit 1 HST/SS9 nine-patch:

10. Sew a Unit 1 HST segment to the top and bottom of an SS9 segment, paying attention to the direction of the HSTs. Press.
11. Make (18) Unit 1 HST/SS9 nine-patch blocks, measuring 6-1/2" square.




HST B Blocks
Make 18
6-1/2" x 6-1/2"


Sew the Rows and Sashing

1. Arrange the blocks into rows as illustrated below, alternating with the F4 rectangles.
2. Sew the blocks and F4 rectangles together, pressing towards the F4 rectangles.
3. Repeat rows 1-4 mirroring the layout.
4. Sew (7) F4 rectangles and (6) F6 squares together as illustrated below. Press toward F4.
5. Repeat to make 8 sashing rows.
6. Layout the block rows and sashing rows, as illustrated below. Sew the rows together, pressing in one direction.


Row 1: Make 2




Row 2: Make 2




Row 3: Make 2



Row 4: Make 2



Row 5: Make 1



Sashing: Make 7



Finishing

1. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.
2. Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 1/4" seam allowance. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.

