


MAYWOOD  STUDIO

LOVELY PLAID



Lovely Plaid Quilt by Lydia Johnson

Featuring the Cups & Quilts collection by Lydia Johnson

59" x 69"

maywoodstudio.com



Fabric 1
10593-WB



Fabric 2
10594-N



Fabric 3
10592-B



Fabric 4
10594-Q



Fabric 5
10597-Q

Fabric Requirements		
Fabric 1	10593-WB	1-1/3 yards
Fabric 2	10594-N	1 yard
Fabric 3	10592-B	1-1/3 yard
Fabric 4	10594-Q	7/8 yard
Fabric 5	10597-Q	7/8 yard
Backing	45" wide	4 yards

Cutting	
59" x 69"	
Fabric 1	Cut (10) 4-1/2" x WOF strips for strip sets.
Fabric 2	Cut (4) 4-1/2" x WOF strips for strip sets. Cut (10) 1-1/2" x WOF strips for strip sets.
Fabric 3	Cut (10) 4-1/2" x WOF strips for strip sets.
Fabric 4	Cut (6) 4-1/2" x WOF strips for strip sets.
Fabric 5	Cut (7) 1-1/2" x WOF strips From 2 strips subcut (30) 1-1/2" squares. Reserve 5 strips for strip sets. Cut (7) 2-1/2" x WOF strips for binding.

WOF - Width of Fabric

LOF - Length of Fabric

RST - Right Sides Together

HST - Half Square Triangle

Maywood Studio makes every effort to make sure our patterns are accurate.
Check for updates at maywoodstudio.com/projects

Lovely Plaid Quilt featuring Cups & Quilts by Lydia Johnson


Read all instructions before you begin. Seam allowances are 1/4".

Fabric is abbreviated as 'F' - for example, F1 refers to Fabric 1.

Strip Sets


Strip Set 1: F1/F2

1. Sew (1) F1 4-1/2" x WOF strip to either side of an F2 1-1/2" x WOF strip, lengthwise. Press towards F2. Repeat to make a total of (5) F1/F2 strip sets.
2. Subcut each strip set into 4-1/2" units. Make a total of (42) F1/F2 subcuts.



Strip Set 2: F3/F2

1. Sew (1) F3 4-1/2" x WOF strip to either side of an F2 1-1/2" x WOF strip, lengthwise. Press towards F2. Repeat to make a total of (5) F3/F2 strip sets.
2. Subcut each strip set into 4-1/2" units. Make a total of (42) F3/F2 subcuts.




Strip Set 3: F4/F5

1. Sew (1) F4 4-1/2" x WOF strip to either side of an F5 1-1/2" x WOF strip, lengthwise. Press away from F5. Repeat to make a total of (3) F4/F5 strip sets.
2. Subcut each strip set into 1-1/2" units. Make a total of (78) F4/F5 subcuts.



Strip Set 4: F2/F5

1. Sew (1) F2 4-1/2" x WOF strip to either side of an F5 1-1/2" x WOF strip, lengthwise. Press away from F5. Repeat to make a total of (2) F2/F5 strip sets.
2. Subcut each strip set into 1-1/2" units. Make a total of (35) F2/F5 subcuts.



Nine-Patch Blocks

A Blocks

Sew an **F3/F2** 4-1/2" unit to either side of an **F2/F5** 1-1/2" unit. Press towards the F2/F5 unit.

Repeat to make a total of 17 blocks, measuring 9-1/2" square.

Reserve the remaining (8) F3/F2 units for the rows on p.6.

A Blocks



9-1/2" x 9-1/2"
Make 17



B Blocks

Sew an **F1/F2** 4-1/2" unit to either side of an **F2/F5** 1-1/2" unit. Press towards the F2/F5 unit.

Repeat to make a total of 18 blocks, measuring 9-1/2" square.

Reserve the remaining (6) F1/F2 units for the rows on p.6.


B Blocks



9-1/2" x 9-1/2"
Make 18

Pieced Sashing

Sew the horizontal sashing strip as illustrated below, alternating the F5 squares with the F4/F5 1-1/2" units. Make 6 pieced sashing strips.




Make 6 pieced sashing strips


Row Assembly

1. Lay out the quilt blocks as shown below, alternating the A and B blocks and the strip set units between the blocks as illustrated below.
2. Sew blocks into rows. Press rows in opposite directions to nest seams.
3. Sew the rows together. Press open. (Illustration on p.7)

Row 1: Make 4




Row 2: Make 3



Finishing

1. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.
2. Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 1/4" seam allowance. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.



Quilt Planning Diagram

Use this diagram to plan your quilt top.

