

MAYWOOD  STUDIO

MEASURE Twice QUILT





Measure Twice Quilt by Maywood Studio
featuring the Measure Twice Collection by Kris Lammers

65-1/2 x 77 1/2"


#madewithmaywood
maywoodstudio.com




MAYWOOD STUDIO



Fabric 1
MAS9899-S



Fabric 2
MAS9899-Q
*binding



Fabric 3
MAS9899-P
*inner border




Fabric 4
MAS9898-S




Fabric 5
MAS9898-Q



Fabric 6
MAS9894-Q



Fabric 7
MAS9895-Q




Fabric 8
MAS9896-Q



Fabric 9
MAS9895-S




Fabric 10
MAS9896-P



Fabric 11
MAS9890-P

Fabric Requirements

Fabric 1	MAS9899-S	1/2
Fabric 2	MAS9899-Q	1-1/8 yard
Fabric 3	MAS9899-P	1-1/8 yard
Fabric 4	MAS9898-S	1/2
Fabric 5	MAS9898-Q	1/2
Fabric 6	MAS9894-Q	1/2
Fabric 7	MAS9895-Q	1/2
Fabric 8	MAS9896-Q	1/2
Fabric 9	MAS9895-S	1/2
Fabric 10	MAS9896-P	1/2 yard
Fabric 11	MAS9890-P	1-1/2 yards
Backing	your choice	4



Bias binding is cut at a 45 degree angle to the selvage. Mark and cut 1-1/2" strips. You will piece these together for a total of 300" of binding. This is calculated for a single fold bias binding.

*Illustration is not to scale and does not reflect the actual amount of strips needed.

Cutting

Finished Size 65-1/2" x 77-1/2"

Fabrics 1, 4, 5, 6, 7, 8, 9, 10

Cut (2) 7-1/2" x WOF strips.

Subcut into (8) 7-1/2" x 7-1/2" squares.

Fabric 2

Cut (2) 7-1/2" x WOF strips.

Subcut into (8) 7-1/2" x 7-1/2" squares.

Binding

Cut (8) 2-1/2" x WOF strips for double fold binding method.

Binding Option:

*for single fold bias binding you will need to cut enough 1-1/2" strips to piece together 300" of binding.

Fabric 3

A: Cut (2) 7-1/2" x WOF strips.

Subcut into (8) 7-1/2" x 7-1/2" squares.

Inner Borders

Cut (6) 3" x WOF strips

(2) 3" x 61"

(2) 3" x 53-1/2"

Fabric 11

Outer Borders

Cut (7) 6-1/2" x WOF strips

Piece into

(2) 6-1/2" x 65-1/2" borders

(2) 6-1/2" x 77-1/2" borders

WOF - Width of Fabric

LOF - Length of Fabric

RST - Right Sides Together

HST - Half Square Triangle

Maywood Studio makes every effort to make sure our patterns are accurate.
Please visit maywoodstudio.com and check for project updates.

Measure Twice Quilt Instructions


Please read all instructions before you begin. Seam allowance is 1/4" unless otherwise stated. Fabric is abbreviated as 'F'. For example, F1 refers to Fabric 1. Press in the direction of arrows.

Disappearing Hourglass Block


Gather the F1 and the F6 squares.

Two-at-a-Time Half Square Triangles (HST)

1. Mark a diagonal line from corner to corner on the wrong side of one F1 square.



2. Place one F1 square, RST (right sides together) over one F6 square. Sew 1/4" away from either side of the marked line.




3. Cut apart on the marked line. Square up each unit to 7" x 7".

7" x 7"
Make 16

Repeat steps 2-3 with the remaining F1 and F6 squares to make 16 HST units.

Four Patch Units


4. Sew (4) HST units together to make a four-patch unit. Make sure to arrange the HSTs as illustrated.



Press. Make 4. Finishes 13-1/2" x 13-1/2".

Slice and Rearrange




6. Mark nine equal sections on the four patch unit measuring 4-1/2" x 4-1/2" each.



7. Cut apart the sections.

13-1/2" x 13-1/2"
Make 4

8. Rotate the corner units so the small triangle faces away from center. Rotate the center unit as illustrated below.



Finish Block A

9. Sew the units into rows and then sew row to row. Make 4. Finishes 12-1/2" x 12-1/2"



Block A




12-1/2" x 12-1/2"
Make 4

Blocks B, C, D, E


10. Follow the steps outlined in Block A to make the remaining blocks.

Block B




Make 4
Fabric 5
Fabric 10

Block C




Make 4
Fabric 3
Fabric 9

Block D



Make 4
Fabric 2
Fabric 7

Block E




"Make 4
Fabric 8
Fabric 4

Sew the Blocks into Rows


11. Lay the blocks out as illustrated and sew into rows. Press in opposite directions to nest seams.

12. Sew the rows together. Press rows open.

Blocks A - B - C - D




Blocks D - C - E - B




Blocks E - A - D - C



Blocks C - E - B - A



Blocks B - A - D - E



Inner Borders

13. Sew the F3 inner border strips to opposite sides of the quilt top. Press toward F3.

14. Sew the F3 inner border strips to the top and bottom of the quilt top. Press toward F3.

Outer Borders

15. Sew the (F11) 65-1/2" outer border strips to opposite sides of the quilt top. Press toward F11.

16. Sew the (F11) 77-1/2" outer border strips to the top and bottom of the quilt top. Press toward F11. Optional: Mark the scallops on the outer borders.



17. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.

18. Binding.

Option 1: WOF binding strips: Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 3/8" seam allowance, mitering the corners.

Option 2: Bias binding strips: Sew the binding strips together into one continuous strip. Sew the binding to the quilt top with a 1/4" seam allowance, gently curving the binding around the scallop shapes.

19. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.

Measure Twice Planning Diagram

