

MESMERIZING


62½" x 62½" quilt — designed by Debbie Beaves




Catalina ULTRA VIOLET collection by Marti Michel for Maywood Studio

MAYWOOD  STUDIO

Row 1




Rows 2 & 12R (rotated 180°)




Directions

1. Sew the strips sets shown at left and bottom of page. Press the seam allowances in the direction of the arrows. Note: Rows 1 and 7 use the 11" long strips. Rows 2-6 and 8R-12R use the 21"-22" long strips. If needed, refer to the cutting tip at the bottom of the yardage chart (last page).


Rows 3 & 11R (rotated 180°)




Rows 4 & 10R (rotated 180°)




2. Cut each strip set into 2½" wide units. Pile each cut on top of the other for a tidy stack. Pin a small piece of paper with the row number on it to each pile in the upper left corner of the first fabric. Rows 1 and 7 need 4 cuts, the remaining rows need 8 cuts. Divide each row with 8 cuts in half. For example, Rows 2 and 12R use the same rotation of fabrics. Row 2 will use the rotation with Fabric B at the top and row 12 will require the strip sets be rotated 180° placing Fabric L in the top position.




Rows 5 & 9R (rotated 180°)



Rows 6 & 8R (rotated 180°)



Row 7




NOTE:

The "R" at the end of rows 8-12 represents the cut units that will be Rotated 180° when setting up the Trip Around the World pieced squares in step 3.


* Re-direct seams if needed during step 4.

3. Sew the strips sets together following the row number rotation. Press after each new strip set addition. Repeat for 3 more identical pieced squares. Press seam allowances toward the even numbered rows. Row 12 will be used in the following step.



Make 4 identical pieced squares.


4. Place the pieced squares and unit 12 in rotation as shown below. Place the single square of Fabric A in the center. Sew one unit 12 to the right side of the first pieced square. Press toward the pieced square. Sew the next pieced square (was rotated 90°) to the unit 12. Press. Repeat for the lower half of the quilt top. Sew the middle (joining strip) pieces together. Sew the "joining" row to the quilt top joining them into a complete quilt center.



5. Sew the five Fabric M strips together end-to-end into one long strip. Measure the height of the quilt and cut two Border 1 to that length. Sew to the sides of the quilt. Press toward borders.

6. Measure the width of the quilt and cut two Border 1 to that length. Sew to the top and bottom of the quilt. Press toward Border 1.

7. Sew the five Fabric N strips together end-to-end into one long strip. Measure the width of the quilt and trim two Border 2 to that length. Sew a Fabric J Corner Stone to each end to make a Corner Stone Border unit. Make 2. Press toward Corner Stones. Set aside.



8. Measure the height of the quilt and trim two Border 2 strips to that length. Sew to the sides of the quilt. Press toward Border 1.

9. Sew the Corner Stone Border Units to the top and bottom of the quilt. Press toward Border 1.

10. Layer the backing (WSU), batting, and quilt top (RSU) together. Baste to hold layers.

11. Quilt as desired.

12. Trim all layers flush with the outer border. Bind the edges using a $\frac{3}{8}$ " seam allowance.

FABRIC		CUTTING	FABRIC		CUTTING
	Fabric A MAS8405-W2 $\frac{1}{8}$ yd	(1) 2½" x 11" strip (1) 2½" sq		Fabric I MAS8406-V2 $\frac{3}{8}$ yd	5 — 2½" x 44" strips Cut into: 3 — 2½" x 11" strips 7 — 2½" x 22" strips
	Fabric B MAS8407-G2 $\frac{1}{8}$ yd	1 — 2½" x 44" strip Cut into: 1 — 2½" x 11" strip 1 — 2½" x 22" strip		Fabric J MAS8406-P4 $\frac{5}{8}$ yd	5 — 2½" x 44" strips Cut into: 3 — 2½" x 11" strips 8 — 2½" x 22" strips Corner Stones: Cut 4 — 6½" squares
	Fabric C MAS8403-G2 $\frac{1}{4}$ yd	2 — 2½" x 44" strips Cut into: 1 — 2½" x 11" strip 2 — 2½" x 22" strips		Fabric K MAS8406-P3 $\frac{1}{2}$ yd	6 — 2½" x 44" strips Cut into: 3 — 2½" x 11" strips 9 — 2½" x 22" strips
	Fabric D MAS8406-G4 $\frac{1}{4}$ yd	2 — 2½" x 44" strips Cut into: 1 — 2½" x 11" strip 3 — 2½" x 22" strips		Fabric L MAS8407-W2 $\frac{1}{4}$ yd	3 — 2½" x 44" strips Cut into: 1 — 2½" x 11" strip 5 — 2½" x 22" strips
	Fabric E MAS8406-G3 $\frac{1}{4}$ yd	3 — 2½" x 44" strips Cut into: 1 — 2½" x 11" strip 4 — 2½" x 22" strips		Fabric M MAS8408-V $\frac{3}{8}$ yard	Border 1: 5 — 2½" x WOF strips
	Fabric F MAS8405-G2 $\frac{1}{4}$ yd	3 — 2½" x 44" strips Cut into: 1 — 2½" x 11" strip 5 — 2½" x 22" strips		Fabric N MAS8401-WV 1 yard	Border 2: 5 — 6½" x WOF strips
	Fabric G MAS8404-V $\frac{3}{8}$ yd	4 — 2½" x 44" strips Cut into: 3 — 2½" x 11" strips 5 — 2½" x 22" strips		Binding MAS8406-V $\frac{5}{8}$ yd	7 — 2½" x WOF strips
	Fabric H MAS8406-V $\frac{3}{8}$ yd	4 — 2½" x 44" strips Cut into: 3 — 2½" x 11" strips 6 — 2½" x 22" strips		Backing YOUR CHOICE $3\frac{1}{8}$ yd	Selvage 21-22" cuts 10½"-11" cuts Selvage

Cutting Tip: The strips are all cut 2½" wide for the Trip Around the World section.

Quilter's Cotton is 43-45" wide including the selvages. If some of the fabrics are not 44-45" wide (not counting the seam allowances) that is OK. The short cuts can be 10½—11" long and still allow for the 4—2½" wide subcuts needed for rows 1 and 7. The long strips can be between 21-22" long and still work for the 8—2½" wide cuts needed for rows 2-6 and 8R-12R. Make the cuts as long as the fabric allows. The extra allows you to clean up the strips sets during the cutting process.