

MAYWOOD  STUDIO

Story Time



Featuring the Story Time collection by Maywood Studio
Instructions by Maywood Studio with Nela Barrow

46 x 48

#madewithmaywood
maywoodstudio.com



MAYWOOD STUDIO

Story Time FOR KIM'S CAUSE



Duckling Colorway




Fabric 1
9807-P



Fabric 2
9800-S




Fabric 3
9801-V



Fabric 4
9802-P



Fabric 5
9802-V



Fabric 6
9803-P



Fabric 7
9803-S



Fabric 8
9805-V



Fabric 9
9806-P



Fabric 10
9806-S



Fabric 11
9806-V



Fabric 12
9806-VR

Maywood Studio makes every effort to make sure our patterns are accurate.
Please visit maywoodstudio.com and check for project updates.



Finished Size: 46 x 48

Duckling Fabric Requirements

Fabric 1	9807-P	3/4 yard
Fabric 2	9800-S	Fat 16th
Fabric 3	9801-V	Fat 8th
Fabric 4	9802-P	Fat 16th
Fabric 5	9802-V	Fat 16th
Fabric 6	9803-P	Fat 8th
Fabric 7	9803-S	Fat 16th
Fabric 8	9805-V	Fat 16th
Fabric 9	9806-P	1/4 yard
Fabric 10	9806-S	1 yard
Fabric 11	9806-V	1/2 yard
Fabric 12	9806-VR	3/4 yard
Binding	*included in Fabric 12	
Backing	your choice	3 yds

WOF - Width of Fabric

LOF - Length of Fabric

RST - Right Sides Together

Cutting

Fabric 1

Cut (1) 6-1/2" x WOF strip,
Subcut into (4) 6-1/2" squares

Cut (2) 3-1/2" x WOF strips
From 2 strips cut (8) 3-1/2" x 6-1/2" pieces
From remaining cut (4) 3-1/2" squares

Cut (4) 3" x WOF strips

Fabrics 2, 4, 5, 7, 8

From each cut (1) 6-1/2" squares

Fabrics 3, 6

From each cut (2) 6-1/2" square

Fabric 9

Cut (2) 2-5/8" x WOF strips

Fabric 10

Cut (2) 2-5/8" x WOF strips

Cut (3) 3-1/2" x WOF strips.

From 1 strip cut (4) 3-1/2" x 6-1/2" pieces
Reserve (2) strips for the top and bottom borders.
*Use the extra if you need to piece these borders.

Cut (3) 2-1/2" x WOF strips for the side borders

Fabrics 11

Cut (4) 3" x WOF strips

Fabric 12

Cut (4) 2-5/8" x WOF strips

Binding:

Cut (5) 2-1/2" x WOF Strips

Backing: Cut into (2) 1-1/2 yard pieces

Story Time Quilt

Instructions by Maywood Studio with Nela Barrow

Please read all instructions before you begin. Seam allowance is $1/4"$ unless otherwise stated. Use a light sizing/starch on the squares before cutting triangles to help control stretching along the bias edges. Press in the direction of arrows.

Four-Patch Hourglass Blocks

This block consists of a four-patch on point and (4) half quarter-squares (QSTs)

1. Sew one $2-5/8"$ **Fabric 9** strip to a $2-5/8"$ **Fabric 12** strip, making sure that Fabric 9 is on the left side of the seam. Press toward Fabric 12. Repeat for the second pair of strips.
2. Sew one $2-5/8"$ **Fabric 10** strip to a $2-5/8"$ **Fabric 12** strip, making sure that Fabric 10 is on the left side of the seam. Press toward fabric 12. Repeat for the second set of strips.




Fabric 9-12




Fabric 10-12

3. Match a set of **Fabric 9-12** strips with a set of **Fabric 10-12** strips right sides together (RST), making sure to nest the seams. Cut these strips into 24 sets that are $2-5/8"$ wide. Keep them in the pairs.




4. Sew the pairs together to create your four-patch centers. Make 24. Spin seams or press open.




Make 24

8. Take a 3" **Fabric 1** strip and a 3" **Fabric 11** strip and place RST. Sew 1/4" from the edge down both long sides. Set the seams with your iron. Repeat with the remaining 3" strips.


9. Cut your paired strips into (48) 3" squares. Make 2 piles, each with 24 squares.



10. Cut one set of 24 squares on the diagonal bottom right to top left. Cut the other set of 24 squares on the diagonal top right to bottom left. Press all your half QSTs to the right.




11. Take one four-patch unit from Step 4 and sew 4 sets of half QSTs, following the diagrams below. Press away from the four-patch. Trim to 6-1/2" square. Make 24.




Corner Units

12. Sew a 3-1/2" **Fabric 1** strip to a 3-1/2" **Fabric 10** strip. Press toward Fabric 10. Repeat with the other pair of strips.

13. Subcut (4) 3-1/2" wide units. Reserve the remaining sets for step 4.




14. Sew the 3-1/2" wide units to the 6-1/2" **Fabric 10** pieces, paying attention to the orientation.



Top and Side Units

15. Subcut the remaining sets into (8) 6-1/2" wide units. Make 8.



Assemble the Quilt Top


16. Lay out all your 6-1/2" squares according to the quilt top diagram on p.7. Sew them into rows, pressing away from the four-patch hourglass blocks. Then sew the rows together, pressing either open or towards the bottom.

17. Add the Top and Bottom borders: Cut the 3-1/2" x WOF **Fabric 10** strips to 42-1/2". Sew these strips to the top and bottom of your quilt. Press toward the border.

18. Add the right and left side borders: Measure through the center of your quilt top vertically.

Vertical measurement:_____.

19. Sew all (3) 2-1/2" x WOF **Fabric 10** strips together, end to end. Cut (2) vertical border pieces to this measurement. Sew them onto the sides of your quilt. Press towards the border.



20. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.

21. Sew the binding strips together into one continuous strip. Press in half lengthwise. Sew the binding to the quilt top with a 3/8" seam allowance, mitering the corners. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.

Quilt Top Planning Diagram

